

(12) United States Patent

4.816.397 A

4.816.567 A

5,225,539 A

5.440.021 A

5,543,503 A

5,571,713 A

5,585,089 A

5,657,277 A

5.693,762 A

5.707.815 A

5.808,960 A

5.859.205 A

5.985.279 A

6.352.832 B1

6,395,497 B1

6,406,694 B1

6.406.865 B2

6,448,021 B1

6.312,689 B1 11/2001 LaRosa

6.451.522 B2 9/2002 LaRosa 6,458,353 B1 10/2002 LaRosa 6.491.915 B2 12/2002 LaRosa

5,693,761 A

(54) ANTI-CCR2 ANTIBODIES AND METHODS OF

US 7,566,539 B2 (10) Patent No.: (45) Date of Patent: Jul. 28, 2009

2/2004 LaRosa et al.

5/2006 O'Keefe et al.

(34)	USE THE	REFOR		53,202 B2
	001, 1111	and the same of th		165494 A1
(75)	Inventor:	Gregory J LaRosa, Newton, MA (US)	2004/0	26851 A1
				132980 A1
(73)	Assignee:	Millennium Pharmaceuticals, Inc.,	2004/0151721 A1	
		Cambridge, MA (US)		265303 A1
			2006/0	147445 A1
(*)	Notice:	Subject to any disclaimer, the term of this		
		patent is extended or adjusted under 35		FOREI
		U.S.C. 154(b) by 353 days.	WO	WO 91/9
(21)	A1 N-	10/656,805	wo	WO 94/
(21)	Appr. No.	10/030,803	WO	WO 94/
(22)	Filed:	Sep. 5, 2003	WO	WO 95/
(22)	i neu.	5cpr 5, 2005	WO	WO 95/
(65)		Prior Publication Data	WO	WO 97/2
	110 2005/	048052 A1 Mar. 3, 2005	WO	WO 97/4
	US 2005/0	048052 A1 Mar. 3, 2005	WO	WO 98/4
	Do	lated U.S. Application Data	wo	WO 98/
		••	WO	WO 99/
(63)		on of application No. 09/898,513, filed on	wo	WO 00/
		1, now abandoned, which is a continuation		
		ion No. 09/121,781, filed on Jul. 23, 1998,		O.
	now Pat. N	lo. 6,312,689.	T - J	n et al. Mole
(51)	Int. Cl.			NAS. 1980.
(31)	G01N 33/	53 (2006.01)		al. The Journ
	G01N 33/			Biochemistry
	G01N 33/			t., et al., "A s
	C07K 17/0			coupled rec
(52)		435/7.1: 435/7.2: 435/7.21:		insfected 29.
(32)	C.S. CI.	435/7.23	(1993).	Biophysical i
(58)	Field of C	lassification Search None		L., et al., "I
(50)		ation file for complete search history.		role for che
	appare			94(27):894-
(56)	References Cited		Ylä-Herttuala, S., et a	
	II	S. PATENT DOCUMENTS		in macroph:
	0.	O'TIMENT POCONDITIO	rotic lesi	ons." Proc. A

3/1989 Boss et al.

7/1993 Winter

11/1996 Lyle et al.

12/1996 Queen et al.

12/1997 Queen et al.

1/1998 Charo et al.

1/1999 Adair et al.

11/1999 Waldmann et al. 6,006,339 A 12/1999 McClure

6,075,181 A * 6/2000 Kucherlapati et al. 800/25

6.084.075 A * 7/2000 Lind et al. 530/388.22

3/2002 LaRosa et al.

5/2002 LaRosa

6/2002 LaRosa

6/2002 LaRosa

9/2002 LaRosa

12/1997 Queen et al.

9/1998 McClure

8/1997 Shirley

3/1989 Cabilly et al.

8/1995 Chuntharapai et al.

8/1996 Chuntharapai et al.

2003/0	0165494 A1	9/2003	LaRosa et al.
2004/0	0126851 A1	7/2004	LaRosa et al.
2004/6	0132980 A1	7/2004	LaRosa et al.
2004/0	0151721 A1	8/2004	O'Keefe et al.
2004/0	0265303 A1	12/2004	LaRosa et al.
2006/0	0147445 A1	7/2006	O'Keefe et al.
	FOREK	3N PATE	NT DOCUMENTS
wo	WO 91/0	9967	7/1991
WO	WO 94/0	9128	4/1994
WO	WO 94/1	2214	6/1994
WO	WO 95/0	8576	3/1995
wo	WO 95/1	9436	7/1995
WO	WO 97/3	1949	* 9/1997
WO	WO 97/4	7319	12/1997
WO	WO 98/4	2360	10/1998
wo	WO 98/4	4953	10/1998
WO	WO 99/1	5666	4/1999
wo	WO 00/0	5265	2/2000

6.696.550 B2

OTHER PUBLICATIONS

et al. Molecular Immunology. 1991. 28;11:1171-1181.* NAS, 1980, 77:6:3211-3214.4

The Journal of Immunology 1997, 159:5576-5584.* ochemistry 2000. 39:6296-6309.*

et al., "A general method for screening mAbs specific for coupled receptors as exemplified by using epitope tagged sfected 293 cells and solid-phase cell ELISA", Biochemiophysical Research Communications, 196(3):1496-1503

et al., "Decreased lesion formation in CCR2"- mice ole for chemokines in the initiation of atherosclerosis." 4(27):894-897 (1998).

ala, S., et al., "Expression of monocyte chemoattractant n macrophage-rich areas of human and rabbit atherosclerotic lesions," Proc. Natl. Acad. Sci., USA,88:5252-5256 (1991). Taubman, M.B., et al., "JE mRNA Accumulates Rapidly in Aortic Injury and in Platelet-Derived Growth Factor-Stimulated Vascular Smooth Muscle Cells," Circulation Research 70(2): 314-325 (1992). Feng. A., et al., "Red Wine Inhibits Monocyte Chemotactic Protein-1 Expression and Modestly Reduces Neointimal Hyperplasia After Balloon Injury in Cholesterol-Fed Rabbits," Circulation 100:2254-2259 (1999).

(Continued)

Primary Examiner-Maher M Haddad Assistant Examiner-Chun Dahle (74) Attorney, Agent, or Firm-Lando & Anastasi, LLP

ABSTRACT

The present invention relates to an antibody or functional fragment thereof which binds to a mammalian (e.g., human) CC-chemokine receptor 2 (CCR2) or a portion of the receptor and blocks binding of a ligand to the receptor. The invention further relates to a method of inhibiting the interaction of a cell bearing mammalian CCR2 with a ligand thereof, and to use of the antibodies and fragments in therapeutic, prophylactic and diagnostic methods.